



The Maximum Values Table contains the values for FortiOS 5.2.5. For more information, see the [Change Log](#).

If you wish to find out the complete maximum values for your FortiGate unit, use the following CLI command

```
print tablesize
```

LEGEND	
Black cells	Objects with global limits.
Gray cells	Objects with VDOM limits.
0	Objects with no hard limit, such as objects limited by system memory.
INT	Objects that are limited by the number of available interfaces. This number includes both physical and virtual interfaces.
*	Unsupported features.
*	An exception is listed at the bottom of this field for the limit.

<ul style="list-style-type: none"> FortiGate VM (Evaluation Version) 	<ul style="list-style-type: none"> FortiGate 200B series 	<ul style="list-style-type: none"> FortiGate 800C & 900D 	<ul style="list-style-type: none"> FortiGate 3600C
<ul style="list-style-type: none"> FortiGate/FortiWiFi 20 series 	<ul style="list-style-type: none"> FortiGate 2000 series 	<ul style="list-style-type: none"> FortiGate VM4M 	<ul style="list-style-type: none"> FortiGate 3810A
<ul style="list-style-type: none"> FortiGate/FortiWiFi 30 series 	<ul style="list-style-type: none"> FortiGate 300C, 300D, 310B-DC, 311B, 400D & 500D 	<ul style="list-style-type: none"> FortiGate 1000C, 1240B, & 1500D 	<ul style="list-style-type: none"> FortiGate 3810D
<ul style="list-style-type: none"> FortiGate/FortiWiFi 40C 	<ul style="list-style-type: none"> FortiGate 500E 	<ul style="list-style-type: none"> FortiGate 1000D 	<ul style="list-style-type: none"> FortiGate 3000C, 3100D, 3200D, 3700D, 3800D
<ul style="list-style-type: none"> FortiGate/FortiWiFi 60 series (including FortiGate Rugged) 	<ul style="list-style-type: none"> FortiGate 3101B 	<ul style="list-style-type: none"> FortiGate 1200D 	<ul style="list-style-type: none"> FortiGate VM & VM64
<ul style="list-style-type: none"> FortiGate/FortiWiFi 70D & 90 series 	<ul style="list-style-type: none"> FortiGate 600C & 600D 	<ul style="list-style-type: none"> FortiGate 3016B 	<ul style="list-style-type: none"> FortiGate 5001 series
<ul style="list-style-type: none"> FortiGate/FortiWiFi 80 series 	<ul style="list-style-type: none"> FortiGate E20B-DC 	<ul style="list-style-type: none"> FortiGate 3040B & 3140B 	<ul style="list-style-type: none"> FortiGate 5101C & FortiController 5902D
<ul style="list-style-type: none"> FortiGate 100 series (including FortiGate Rugged) 	<ul style="list-style-type: none"> FortiGate E20B & 621B 	<ul style="list-style-type: none"> FortiGate 3240C 	<ul style="list-style-type: none"> FortiSwitch 5203B
<ul style="list-style-type: none"> FortiGate VM00 	<ul style="list-style-type: none"> FortiGate VM02 		

[illegible]

- * Exception: FortiGate 60C-SFP has a concurrent explicit proxy users limit of 500.
- * Exception: the following models have a concurrent explicit proxy users limit of 500: FortiGate 90D, FortiGate 92D, and FortiWiFi 92D.
- * Exception: FortiGate 1240B and FortiGate 1500D have a concurrent explicit proxy users limit of 16000.
- * Exception: FortiGate 3950B, 3951B, and FortiGate-V108 have a concurrent explicit proxy users limit of 32000.
- * Exception: The VLAN limit for FortiGate 20 series is 5 VLANs per interface.
- * Exception: The VLAN limit for FortiGate 30 series is 20 VLANs per interface.

Copyright 2016 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc. in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding contract. All other marks contained herein are the property of their respective owners. Fortinet reserves the right to change specifications without notice, and without obligation to update any published documents. This document is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. The only specific performance metrics expressly identified in such binding written contract shall be accurate. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment relative to future deliveries, features, or other specifications. All forward-looking statements herein are not accurate. Fortinet disclaims in full all any coverments, representations and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.